

EU Type-Examination Certificate

Holder	UVEX Arbeitsschutz GmbH Würzburger Str. 189 90766 Fürth GERMANY
Registration No.	C5199W/R10
Product	Ultraviolet protective filter
Type, Model	7404
Testing basis	DIN EN 166:2002-04 DIN EN 170:2003-01
Test reports/Test marks	11351-PZA-15, 13331-PZA-15, 164 GJ 15/16, 731 GJ 15/16, 12321-PZA-16, 526 GJ 16/17, 12131-PZA-17, 13541-PZA-17, E7 GJ 17/18, 11284-PZA-18, 1014 G 18/19, 14471-PZA-18, 12142-PZA-19, 1589 GJ 18/19, 13381-PZA-19, 1896 GJ 18/19, 10224-PZA-21, 13193-PZA-21, 4544/1 GJ 20/21
Marking of the product	Detailed marking see annex
Validity period	2021-09-10 to 2026-01-31
Conformity	DIN CERTCO confirms that the prototype complies with the essential health and safety requirements according to the Annex II of Regulation (EU) 2016/425 on personal protective equipment. This assessment was based on the test samples submitted by the manufacturer or authorised representative, the technical documentation and the test report of the test laboratory.

Any previous versions of this EU Type-Examination Certificate hereby cease to be valid.

Please see the annex for further information.

2021-09-10

Robert Zorn M.Sc.

Notified Body 0196



ANNEX

Certificate	C5199W/R10 dated 2021-09-10
Manufacturer's Identification	W
Marking of the product	Untinted, amber: 2C-1,2 W 1 FT [coating variant] CE Variomatic: 2-1,2 W 1 FT K N CE Variomatic grey: 2-2 W 1 FT K N CE
Product specification	<p>Mechanical strength: protection against high-speed particles at extremes of temperature FT (45 m/s) Optical class: 1 Shade number untinted, amber: 2C-1,2 Shade number variomatic: 2-1,2 Shade number variomatic grey: 2-2 Resistance to surface damage by fine particles: K Resistance to fogging of oculars: N</p> <p>Material: PC Colour: untinted, amber, light green (variomatic), grey (variomatic) Centre thickness: 2.0 mm</p> <p>Coating variants: supravisoin excellence [K N] supravisoin extreme [K N] supravisoin plus [K N] supravisoin AR [] supravisoin variomatic [K N] supravisoin extreme* [K N] supravisoin ETC [K N]</p>
Additional product information	<p>Ocular variomatic: Phototrop filter are not suitable for driving and road use.</p> <p>Light green variomatic Scale number in light state: 2-1,2 Scale number in dark state: 2-2,5</p>

ANNEX

Certificate

C5199W/R10 dated 2021-09-10

Grey variomatic

Scale number in light state: 2-2

Scale number in dark state: 2-3

**Regulations/
Liabilities**

This EU Type-Examination Certificate is the property of DIN CERTCO and may be withdrawn if the conditions on which its issue was based are no longer met.

The information leaflet (instructions for use) for the specified eye protection product must be written in the official language of the country of destination and include, among other things, the following details of the Notified Body:

DIN CERTCO Gesellschaft für
Konformitätsbewertung mbH
Alboinstraße 56
12103 BERLIN
GERMANY

Identification number of the Notified Body: 0196

As far as possible, the product must be marked with a type, batch or serial number or other element allowing its identification.

As far as possible, the product must be marked with the name and postal address of the manufacturer or, if the manufacturer is not based in the European Economic Area, the name and contact address of an authorised representative or importer based in the European Economic Area.

The product or its packaging must be indelibly and unambiguously marked with the month and year of manufacture and/or the month and year of obsolescence.

It is not permitted to mark the product with the identification number 0196.

All changes to the product, the technical documentation or to the quality assurance system must be notified to DIN CERTCO in writing.

The General Terms and Conditions of DIN CERTCO apply.

